Rheumatology Therapies
Referring Physician Orders Rev. 01/2025ss
Contact us with questions at: 804-442-3558 or email: referrals@theinfusionsolution.com
Please fax completed referral form & all required documents to 804-554-5848



| PATIENT DEMOGRAPHICS | | | | | | | | | |
|---|--------------------|---|--|--|------------------|---------------------|--------------|----|--|
| Patient Name: | | | DOB: Phone: | | | | | | |
| Address: | | | | | | | | | |
| Allergies: | | □ NKDA | Weight: | □ lbs □ kg | Height: | _ □ in □ cm | | | |
| | | INSURANCE INFO | ORMATION: Plea | ise attach copy o | | | | | |
| DIAGNOSIS* | | | | | | | | | |
| | | soriasis (L40.50-L40.59), ICD10 | | ☐ Rheumatoid Arthritis (M05.70-M05.9, M06.00-M06.09, M06.9), ICD10 | | | | | |
| Required | | atoid Arthritis (M08.00-M08.99), ICD10 | | | | | | | |
| ☐ Systemic Lupus Erythematosus (M32.0-M32.9), ICD10 _ | | | | | | | | | |
| INFUSION ORDERS | | | | | | | | | |
| MEDICATION Actomro® (tooilizumob) | | DOSE □ mg (4mg/kg) | | DIRECTIONS/DURATION ☐ Infuse IV over 1 hour every 4 weeks x 1 year | | | | | |
| Actemra® (tocilizumab) | | □ mg (8mg/kg) | | | | | | | |
| Benlysta® (belimumab) | | □ mg (10mg/kg) | | ☐ INITIAL: Infuse IV over 1 hour at Weeks 0, 2, 4, then every 4 weeks x 1 year ☐ MAINTENANCE: Infuse IV over 1 hour every 4 weeks x 1 year | | | | | |
| Cimzia® (certolizumab pegol) | | ☐ INITIAL: 400mg ☐ MAINTENANCE: ☐ 400mg | | □ INITIAL: Inject 400mg SUBQ at Weeks 0, 2, 4, then every 4 weeks x 1 year | | | | | |
| | | | | ☐ MAINTENANCE: Inject 400mg SUBQ every 4 weeks x 1 year ☐ MAINTENANCE: Inject 200mg SUBQ every 2 weeks x 1 year | | | | | |
| | | □ 200mg | | LIMANTENATIOE. INJECT 20011ING 30DQ EVERY 2 WEEKS X T YEAR | | | | | |
| Cosentyx® (secukinumab) | | □ INITIAL: mg (6mg/kg) □ MAINTENANCE: mg (1.75mg/kg; MAXIMUM = 300mg) | | □ INITIAL: Infuse IV over 30 minutes x 1 dose | | | | | |
| | | | | ☐ MAINTENANCE: Infuse IV over 30 minutes every 4 weeks x 1 year | | | | | |
| llumya [®] (tildrakizumab) | | 100mg | | □ INITIAL: Inject SubQ at Weeks 0 and 4, then every 12 weeks x 1 year | | | | | |
| | | | | MAINTENANCE: Inject SubQ at every 12 weeks x 1 year | | | | | |
| Infliximab and biosimilars: Remicade® | | □ mg (3 mg/kg) □ mg (5 mg/kg) | | ☐ INITIAL: Infuse IV over 2 hours at Weeks 0, 2, 6, then every weeks x 1 year ☐ MAINTENANCE: Infuse IV over 2 hours every weeks x 1 year | | | | | |
| ☐ Renflexis® | | □ mg (5 mg/kg) | | wooks x 1 year | | | | | |
| Orencia® (abatacept) | | □ <60kg : 500mg □ 60-100kg : 750mg □ >100kg : 1000mg | | ☐ INITIAL: Infuse IV over 30 minutes at Weeks 0, 2, 4, then every 4 weeks x 1 year ☐ MAINTENANCE: Infuse IV over 30 minutes every 4 weeks x 1 year | | | | | |
| Saphnelo® (anifrolumab) | | 300mg | | ☐ Infuse IV over | 30 minutes every | 4 weeks x 1 year | | | |
| Simponi Aria® (golimumab) | | □ mg (2mg/kg) | | ☐ INITIAL: Infuse IV over 30 minutes at Weeks 0, 4, then every 8 weeks x 1 year ☐ MAINTENANCE: Infuse IV over 30 minutes every 8 weeks x 1 year | | | | | |
| Rituximab and biosimilars | | □ 1000mg | | ☐ Infuse IV over | hours on l | Days 1 and 15 every | weeks x 1 ye | ar | |
| Brands available: | | \square mg | | ☐ Other: | | | | | |
| □ Riabni[®] □ Ruxience[®] □ Truxima[®] | | | | | | | | | |
| | | on patient weight, a new o | order will be requested | for weight changes or | f +/- 5 kas. | | | | |
| | | rapy above from a | | □ NO □ Y | | | | | |
| If yes, Facility N | lame: | | Date | e of last treatme | nt: | Date of next | t treatment: | | |
| | | | OTHE | ER ORDERS | | | | | |
| LAB ORDERS | | awn by: 🗆 Infusion | | ☐ Referring Phy | ysician | | | | |
| ☐ No labs ordered at this time ☐ CBC q ☐ CMP q ☐ CRP q | | | □ ESR a | | LFTs q | ☐ Other: | | | |
| | | | 1 | | | - 1 | | | |
| PRE-MEDICATION ORDERS: ☐ No premeds ordered at this time ☐ Acetaminophen 650mg PO ☐ Other: | | | □ Diphenhydramine 25mg PO□ Methylprednisolone 40mg IVP -OR-□ Hydrocortisone 100mg IV | | | | | | |
| | | RE | FERRING PH | YSICIAN INF | ORMATION | | | | |
| Physician Signature: | | | | | | | | | |
| Physician Name: | | | | | | | | | |
| Address: | | | | | | | | | |
| Contact Person: Phone #: | | | | | | | | | |
| | w Up Documentation | | | | | | | | |

Page 1 of 2

Rheumatology Therapies

Referring Physician Orders Rev. 01/2025ss Contact us with questions at: 804-442-3558 or email: referrals@theinfusionsolution.com Please fax completed referral form & all required documents to 804-554-5848



| Patient Name: | DOB: |
|---------------|------|

REQUIRED CLINICAL DOCUMENTATION

Please attach medical records: Initial H&P, current MD progress notes, medication list, and labs/test results to support diagnosis.

• TB screening for Actemra, Cimzia, Cosentyx, infliximab biosimilars, Orencia, and Simponi Aria (submit results from within 12 months to start therapy and annually to continue therapy) Annual TB screening to be done by: ☐ Infusion Center ☐ Referring Physician · Hepatitis B Screening for Actemra, Cimzia, infliximab biosimilars, Orencia, Simponi Aria, and Rituxan (submit results to start therapy)

Diagnostic Test Results (please attach copy for all items checked)

For SLE:

☐ Autoantibody test (ANA, anti-dsDNA)

Prior Failed Therapies (including DMARDs, immunosuppressants, and biologics)

| Medication Failed: | Dates of Treatment: | _Reason for D/C: |
|--------------------|---------------------|------------------|
| Medication Failed: | Dates of Treatment: | Reason for D/C: |
| Medication Failed: | Dates of Treatment: | Reason for D/C: |
| Medication Failed: | Dates of Treatment: | _Reason for D/C: |
| Medication Failed: | Dates of Treatment: | Reason for D/C: |